



CLARIN-D

Visualisierung diachroner Kollokationen mit DiaCollo

oder:

“warum *noch* so’n komisches buntiklicki DH-Werkzeug?”

Bryan Jurish
jurish@bbaw.de

Die geisteswissenschaftliche Perspektive: Welche Forschungsergebnisse lassen Digital Humanities erwarten?
Akademie der Wissenschaften und der Literatur, Mainz
19. Februar, 2016



The Situation

- Diachronic Text Corpora
- Collocation Profiling
- Diachronic Collocation Profiling

DiaCollo

- Requests & Parameters
- Profile, Diffs & Indices
- Scoring & Comparison Functions

Applications & Examples

Summary & Conclusion

The Situation: Diachronic Text Corpora



- heterogeneous text collections, especially with respect to **date of origin**
 - ▶ other partitionings potentially relevant too, e.g. by author, text class, etc.
- increasing number available for linguistic & humanities research, e.g.
 - ▶ *Deutsches Textarchiv (DTA)* (Geyken et al. 2011)
 - ▶ *Referenzkorpus Altdeutsch (DDD)* (Richling 2011)
 - ▶ Corpus of Historical American English (COHA) (Davies 2012)
- ... but even putatively “synchronic” corpora have a temporal extension, e.g.
 - ▶ DWDS/ZEIT (“Kohl”) (1946–2015)
 - ▶ DDR Presseportal (“Ausreise”) (1945–1993)
 - ▶ DWDS/Blogs (“Browser”) (1994–2014)
- should expose temporal effects of e.g. **semantic shift**, **discourse trends**
- problematic for conventional natural language processing tools
 - ▶ implicit assumptions of **homogeneity**



The Situation: Collocation Profiling



“You shall know a word by the company it keeps”
— J. R. Firth

Basic Idea

(Church & Hanks, 1990; Manning & Schütze 1999; Evert 2005)

- **lookup** all candidate collocates (w_2) occurring with the target term (w_1)
- **rank** candidates by association score
 - ▶ “chance” co-occurrences with high-frequency items must be **filtered out!**
 - ▶ statistical methods require **large data sample**

What for?

- computational lexicography (Kilgarriff & Tugwell 2002; Didakowski & Geyken 2013)
- neologism detection (Kilgarriff et al. 2015)
- distributional semantics (Schütze 1992; Sahlgren 2006)
- text mining / “distant reading” (Heyer et al. 2006; Moretti 2013)



The Problem: (temporal) heterogeneity

- conventional collocation extractors assume **corpus homogeneity**
- co-occurrence frequencies are computed only for **word-pairs** (w_1, w_2)
- influence of **occurrence date** (and other document properties) is irrevocably lost

A Solution (sketch)

- represent terms as n -tuples of independent attributes, **including occurrence date**
 - ▶ alternative: “document” level co-occurrences over sparse TDF matrix
- partition corpus **on-the-fly** into **user-specified intervals** (“date slices”, “epochs”)
- collect independent slice-wise profiles into final result set

Advantages

- ▶ full support for diachronic axis
- ▶ variable query-level granularity
- ▶ flexible attribute selection
- ▶ multiple association scores

Drawbacks

- ▶ sparse data requires larger corpora
- ▶ computationally expensive
- ▶ large index size
- ▶ no syntactic relations (yet)



General Background

- developed to aid CLARIN historians in analyzing discourse topic trends
- successfully applied to mid-sized and large corpora, including:
 - ▶ J. G. Dingler's *Polytechnisches Journal* (1820–1931, 19K documents, 35M tokens)
 - ▶ *Deutsches Textarchiv* (1600–1900, 2.6K documents, 173M tokens)
 - ▶ *DDR-PP Neues Deutschland* (1946–1990, 1.5M documents, 443M tokens)
 - ▶ *DWDS Zeitungen* (1946–2015, 10M documents, 4.3G tokens)

Implementation

- Perl API, command-line, & RESTful DDC/D* **web-service plugin** + GUI
- fast native indices over n -tuple inventories, equivalence classes, etc.
- **scalable** even in a high-load environment
 - ▶ no persistent server process is required
 - ▶ native index access via direct file I/O or `mmap()` system call
- various output & visualization formats, e.g. TSV, JSON , HTML, d3-cloud



DiaCollo: Requests & Parameters



- request-oriented RESTful service (Fielding 2000)
- accepts user requests as set of *parameter=value* pairs
- parameter passing via URL query string or HTTP POST request
- common parameters:

Parameter	Description
query	target lemma(ta), regular expression, or DDC query
date	target date(s), interval, or regular expression
slice	aggregation granularity or “0” (zero) for a global profile
groupby	aggregation attributes with optional restrictions
score	score function for collocate ranking
kbest	maximum number of items to return per date-slice
diff	score aggregation function for diff profiles
global	request global profile pruning (vs. default slice-local pruning)
profile	profile type to be computed ($\{\text{native,tdf,ddc}\} \times \{\text{unary,diff}\}$)
format	output format or visualization mode



Profiles & Diffs

- simple request → unary **profile** for target term(s)
 - ▶ **filtered** & **projected** to selected attribute(s)
 - ▶ **trimmed** to k -best collocates for target word(s)
 - ▶ **aggregated** into independent slice-wise sub-intervals
 - diff request → **comparison** of two independent targets
 - ▶ highlights **differences** or **similarities** of target queries
 - ▶ can be used to compare different words
 - ... or different corpus subsets w.r.t. a given word
- (profile, query)
(groupby)
(score, kbest, global)
(date, slice)
- (profile, bquery, ...)
(diff)
(query \neq bquery)
(e.g. date \neq bdate)

Indices & Attributes

- compile-time filtering of native indices: frequency thresholds, PoS-tags
- default index attributes: *Lemma (l)*, *Pos (p)*
- finer-grained queries possible with TDF or DDC back-ends
- **batteries not included**: corpus preprocessing, analysis, & full-text search index
 - ▶ see e.g. Jurish (2003); Geyken & Hanneforth (2006); Jurish et al. (2014), ...



DiaCollo: Scoring & Comparison Functions



CLARIN-D

Selected Score Functions

- | | | | |
|-------------|-------------------------------------|--|--|
| ■ f | raw collocation frequency | $= f_{12}$ | |
| ■ If | collocation log-frequency | $= \log_2(f_{12} + \varepsilon)$ | |
| ■ mi | pointwise MI \times log-frequency | $\approx \log_2 \frac{f_{12} \times N}{f_1 \times f_2} \times \log_2 f_{12}$ | |
| ■ ll | log-likelihood (Dunning 1993) | $\approx \text{sgn}(f_{12} f_1, f_2) \times \log(1 + \log \lambda)$ | |
| ■ ld | log-Dice coefficient (Rychlý 2008) | $\approx 14 + \log_2 \frac{2 \times f_{12}}{f_1 + f_2}$ | |

Selected Diff Operations

- | | | | |
|----------------|---------------------------|--------------------------------------|--|
| ■ diff | raw score difference | $= s_a - s_b$ | |
| ■ adiff | absolute score difference | $= s_a - s_b $ | |
| ■ avg | arithmetic average | $= \frac{s_a + s_b}{2}$ | |
| ■ max | maximum | $= \max\{s_a, s_b\}$ | |
| ■ min | minimum | $= \min\{s_a, s_b\}$ | |
| ■ havg | harmonic average | $\approx \frac{2s_a s_b}{s_a + s_b}$ | |



Exploration & Discovery

- detection of temporal (historical) phenomena
- fast & flexible “distant reading” over **large digital text collections**
- various intuitive visualizations of query results

Analysis & Investigation

- data acquisition for hypothesis testing
- first step towards “close” hermeneutic analysis (e.g. via KWIC-links)

(Quantitative) Evaluation & Assessment

- diachronic linguistics
- historical semantics
- history of concepts

Example 1: ‘Crises’ in the News

‘*Krise*’ in *DIE ZEIT* (west) and *Neues Deutschland* (east)



<http://kaskade.dwds.de/dstar/zeit/diacollo/?q=Krise&d=1950:2015&gb=1,p%3DNE>

1950–1959

- Berlin blockade aftermath

1960–1969

- anti-government protests & strikes in France

1970–1979

- Nixon & Brandt resignations; Iranian revolution

1980–1989

- *Solidarność* in Poland; Soviet war in Afghanistan; Schmidt coalition collapses

1990–1999

- wars in ex-Yugoslavia, Kosovo & Chechnya; financial crises in Asia & Mexico

2000–2009

- global financial crisis

2010–2015

- civil wars in Syria & the Ukraine; Greek bankruptcy

Compare:

- *Krise*: DDR-PP *Neues Deutschland*: 3-year slices, proper name collocates (NE)
- *Krise*: DDR-PP *Neues Deutschland*: 5-year slices, common noun collocates (NN)



Example 1: Selected Lemma-Clouds

1980–1989:



2010–2014:



Example 2: Lexicography

'autofrei' (*automobile-free*)



<http://kaskade.dwds.de/dstar/zeitungen/diacollo/?q=autofrei&ds=5&f=bub>

Lexicography & Collocations

- collocation preferences correlate strongly with word meanings
- new senses ("neosemantemes") ⇒ new collocates
 - ▶ *Maus* ("mouse"): rodent vs. input device
 - ▶ *Ampel* ("traffic light"): traffic signal vs. political coalition


The case of *autofrei* ("automobile-free")

- Duden: *keinen Autoverkehr aufweisend* ("lacking automobile traffic")
- DWDS corpora reveal **two sub-senses**:
 - ▶ **1970–1989**: ... by ordinance (↔ *Sonntag, Innenstadt*)
 - ▶ **1990–present**: ... voluntary (↔ *Wohnanlage, Siedlung*)




Example 2: Selected Bubble-Charts

1985–1989



1990–1994



Example 3: Gender & Cultural Bias

'Mann' vs. 'Frau' in the Deutsches Textarchiv (1600–1900)



<http://kaskade.dwds.de/dstar/dta/diacollo/?q=Mann&bq=Frau&d=1600:1899&ds=25&gb=1,p%3DADJA&f=cld&p=d2>

Disclaimer

- historical corpus data can reveal persistent cultural biases
- linked collocation data does not reflect the opinions of this author or the BBAW!

Observations

- biological fact: *schwangere Frau* (only appears 1675–1724)
- fixed & formulaic expressions very prominent
 - ▶ *gnädige Frau* (masculine variant: *gnädiger Herr*)
 - ▶ *Frau X geborene Y* (birth- vs. married surname)
 - ▶ *der gemeine Mann* (masculine generic)
- pretty much exclusively cultural bias:
 - ▶ *Mann* ⇔ *berühmt, ehrlich, gelehrt, tapfer, weise, ...*
 - ▶ *Frau* ⇔ *betrübt, lieb, schön, tugendreich, verwitwet, ...*
- differences grow less pronounced in late 18th & 19th centuries



Example 3: Selected Lemma-Clouds

CLARIN-D

1725–1749:



1825–1849:



Example 4: Genealogy of Terminology

Habermas vs. Cassirer in the DWDS Kernkorpus



<http://kaskade.dwds.de/dstar/kern/diacollo/?ds=0&bds=0&k=20&p=diff-tdf&f=cld&diff=adiff>

QUERY: * #has[author, /Habermas/] [Red]

~QUERY: * #has[author, /Cassirer/] [Blue]

GROUPBY: l, p=NN

Remarks

- uses TDF (term × document) matrix back-end for bibliographic meta-data queries
- sets slice=0 parameter to acquire date-independent profiles
- groupby clause selects only common noun lemmata (STTS tag NN)
- modest sample size (Habermas: 516k tokens, Cassirer: 130k tokens)
- Habermas himself openly acknowledges Cassirer's influence

Differences (diff=adiff)

- **Habermas** ↪ *Handeln, Gesellschaft, Öffentlichkeit, Meinung, Norm, ...*
- **Cassirer** ↪ *Anschauung, Bestimmung, Bezeichnung, Erkenntnis, Sein, ...*

Similarities (diff=havg, diff=min)

- *Analyse, Ausdruck, Begriff, Beziehung, Funktion, Sinn, Sprache, ...*



Example 4: Lemma-Clouds

differences
(diff=adiff)



similarities
(diff=havg)



Example 5: 400 Years of Potables

[GETRÄNK] trinken' in aggregated DTA+DWDS (1600–2000)

CLARIN-D

<http://kaskade.dwds.de/dstar/dta+dwds/diacollo/?d=1600%3A1999&ds=50&k=20&p=ddc&f=cld&g=1&G=1>
QUERY: "(Getränk|gn-sub WITH \$p=NN)=2 (trinken WITH \$p=/VV[IP]/)" #FMIN 1

Remarks

- uses DDC back-end for fine-grained data acquisition
- uses GermaNet thesaurus-based lexical expansion for *Getränk* ("beverage")
- considers only those target terms immediately preceding verb *trinken* ("to drink")
- "global" profile uses shared target-set to avoid visual clutter

Observations


- near-constants: *Bier, Milch, Wasser, Wein* ("beer, milk, water, wine")
- 1650–1750: *Tee, Kaffee, Schokolade* ("tea, coffee, chocolate") appear
- 1800–1900: *Schnaps* displaces *Branntwein*; *Champagner* appears
- 1850–1900: *Alkohol* ("alcohol") as category of beverages
- 1900–2000: *Kognak, Saft, Sekt, Whisky* ("cognac, juice, sparkling wine, whisky")



Example 5: Time Series ($k = 10$)



CLARIN-D



Summary & Conclusion



Diachronic Collocation Profiling

- diachronic text corpora
 - ~~> semantic shift, discourse trends
- conventional tools
 - ~~> implicit assumptions of homogeneity
- diachronic profiling
 - ~~> date-dependent lexemes

DiaCollo

- on-the-fly corpus partitioning
 - ~~> arbitrary query granularity
- DDC/D* integration
 - ~~> fine-grained queries, corpus KWIC links
- RESTful web service
 - ~~> external API, online visualization

Applications

- exploration & discovery
 - ~~> large source collections
- analysis & investigation
 - ~~> data acquisition for hypothesis testing
- evaluation & assessment
 - ~~> historical semantics, history of concepts, &c.





— *The End* —

CLARIN-D

schön
danken
ganz
wirklich
persönlich
lächeln
warm
lieb
gut
herzlich
letzte
lieb
glücklich
gehorsam
treu
freundlich
freundschaftlich
jung
klein
liebenswürdig
kurz

Thank you for listening!

<http://kaskade.dwds.de/diacollo/>

<http://metacpan.org/release/DiaColloDB/>

